

10/540,993

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal600txm

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page for STN Seminar Schedule - N. America  
NEWS 2 OCT 04 Precision of EMBASE searching enhanced with new  
chemical name field  
NEWS 3 OCT 06 Increase your retrieval consistency with new formats or  
for Taiwanese application numbers in CA/CAPLUS.  
NEWS 4 OCT 21 CA/CAPLUS kind code changes for Chinese patents  
increase consistency, save time  
NEWS 5 OCT 22 New version of STN Viewer preserves custom  
highlighting of terms when patent documents are  
saved in .rtf format  
NEWS 6 OCT 28 INPADOCDB/INPAFAMDB: Enhancements to the US national  
patent classification.  
NEWS 7 NOV 03 New format for Korean patent application numbers in  
CA/CAPLUS increases consistency, saves time.  
NEWS 8 NOV 04 Selected STN databases scheduled for removal on  
December 31, 2010  
NEWS 9 NOV 18 PROUSDDR and SYNTHLINE Scheduled for Removal  
December 31, 2010 by Request of Prou Science  
NEWS 10 NOV 22 Higher System Limits Increase the Power of STN  
Substance-Based Searching  
NEWS 11 NOV 24 Search an additional 46,850 records with MEDLINE  
backfile extension to 1946  
NEWS 12 DEC 14 New PNK Field Allows More Precise Crossover among STN  
Patent Databases  
NEWS 13 DEC 18 ReaxysFile available on STN  
NEWS 14 DEC 21 CAS Learning Solutions -- a new online training experience  
NEWS 15 DEC 22 Value-Added Indexing Improves Access to World Traditional  
Medicine Patents in CAPLUS

NEWS EXPRESS FEBRUARY 15 10 CURRENT WINDOWS VERSION IS V8.4.2,  
AND CURRENT DISCOVER FILE IS DATED 07 JULY 2010.

NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN customer  
agreement. This agreement limits use to scientific research. Use  
for software development or design, implementation of commercial  
gateways, or use of CAS and STN data in the building of commercial  
products is prohibited and may result in loss of user privileges  
and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 11:55:49 ON 18 JAN 2011

|                      |            |         |
|----------------------|------------|---------|
| => file reg          |            |         |
| COST IN U.S. DOLLARS | SINCE FILE | TOTAL   |
|                      | ENTRY      | SESSION |
| FULL ESTIMATED COST  | 0.46       | 0.46    |

FILE 'REGISTRY' ENTERED AT 11:56:54 ON 18 JAN 2011  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

McIntosh

10/540,993

COPYRIGHT (C) 2011 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 17 JAN 2011 HIGHEST RN 1259483-08-3  
DICTIONARY FILE UPDATES: 17 JAN 2011 HIGHEST RN 1259483-08-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 26, 2010.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading c:\program files\stnexp\queries\10540993 1.10.11 claims

L1 STRUCTURE UPLOADED

=> s l1

SAMPLE SEARCH INITIATED 11:57:28 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 484 TO ITERATE

100.0% PROCESSED 484 ITERATIONS 0 ANSWERS  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 8361 TO 10999  
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 11:57:34 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 9285 TO ITERATE

100.0% PROCESSED 9285 ITERATIONS 25 ANSWERS  
SEARCH TIME: 00.00.01

L3 25 SEA SSS FUL L1

=> file caplus

| COST IN U.S. DOLLARS | SINCE FILE ENTRY | TOTAL SESSION |
|----------------------|------------------|---------------|
| FULL ESTIMATED COST  | 196.86           | 197.32        |

FILE 'CAPLUS' ENTERED AT 11:57:37 ON 18 JAN 2011  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2011 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 Jan 2011 VOL 154 ISS 4  
FILE LAST UPDATED: 17 Jan 2011 (20110117/ED)

McIntosh

10/540,993

REVISED CLASS FIELDS (/NCL) LAST RELOADED: Oct 2010  
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Oct 2010

CAPplus now includes complete International Patent Classification (IPC)  
reclassification data for the fourth quarter of 2010.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>


This file contains CAS Registry Numbers for easy and accurate  
substance identification.

=> s 13

L4 6 L3

=> d bib abs hitstr 1-6

L4 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2011 ACS on STN  
AN 2009:208119 CAPLUS  
DN 150:448241  
TI Inhibitors of adenosine consuming parasites through polymer-assisted  
solution phase synthesis of lipophilic 5'-amido-5'-deoxyadenosine  
derivatives  
AU Heidler, Philipp; Zohrabi-Kalantari, Vida; Kaiser, Marcel; Brun, Reto;  
Emmrich, Thomas; Link, Andreas  
CS Institute of Pharmaceutical Chemistry, Philipps-University Marburg,  
Marburg, 35032, Germany  
SO Bioorganic & Medicinal Chemistry (2009), 17(4), 1428-1436  
CODEN: BMECEP; ISSN: 0968-0896  
PB Elsevier B.V.  
DT Journal  
LA English  
OS CASREACT 150:448241  
GI



AB Given the more or less global spread of multidrug-resistant plasmodia,  
structurally diverse starting points for the development of  
chemotherapeutic agents for the treatment of malaria are urgently needed.  
Thus, a series of 20 adenosine derivs. with a large lipophilic substituent  
in N6-position, e.g. I, were prepared in order to evaluate their potential  
to inhibit the chloroquine resistant Plasmodium falciparum strain K1 in  
vitro. The rationale for synthesis of these structures was the high  
probability of interactions with multiple adenosine associated targets and  
the assumption that a large hydrophobic N6-(4-phenoxy)benzyl substitution  
should allow the mols. to diffuse across parasite membranes. Starting  
from readily available inosine, the new compds. were prepared as single  
isomers using a polymer-assisted acylation protocol enabling the  
straightforward isolation of the target compds. in pure form.  
Heterocyclic ring systems were synthesized on-bead on Kenner's  
safety-catch linker prior to acylation of the scaffold in solution. Most of  
the highly pure compds. displayed anti-plasmodial activity in the low  
micromolar or even submicromolar concentration range.


IT 722505-26-2P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT  
(Reactant or reagent)  
(polymer-assisted solution phase synthesis of lipophilic amido  
deoxyadenosine derivs. via nucleophilic substitution and acylation from  
carboxylic acids, amines and phenoxybenzyl adenosine, as inhibitors of  
adenosine consuming parasites)

McIntosh

10/540,993

RN 722505-26-2 CAPLUS  
CN Adenosine, N-[(4-phenoxyphenyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




OSC.G 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)  
RE.CNT 34 THERE ARE 34 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2011 ACS on STN  
AN 2005:74688 CAPLUS  
DN 142:336573  
TI Synthesis of 9-(2- $\beta$ -C-methyl- $\beta$ -D-ribofuranosyl)-6-substituted  
purine derivatives as inhibitors of HCV RNA replication  
AU Ding, Yili; Girardet, Jean-Luc; Hong, Zhi; Lai, Vicky C. H.; An, Haoyun;  
Koh, Yung-hyo; Shaw, Stephanie Z.; Zhong, Weidong  
CS Valeant Pharmaceuticals International, Costa Mesa, CA, 92626, USA  
SO Bioorganic & Medicinal Chemistry Letters (2005), 15(3), 709-713  
CODEN: BMCLE8; ISSN: 0960-894X  
PB Elsevier B.V.  
DT Journal  
LA English  
OS CASREACT 142:336573  
AB A series of 9-(2'- $\beta$ -C-methyl- $\beta$ -D-ribofuranosyl)-6-substituted  
purine derivs. were synthesized as potential inhibitors of HCV RNA  
replication. Their inhibitory activities in a cell based HCV replicon  
assay were reported. A prodrug approach was used to further improve the  
potency of these compds. by increasing the intracellular levels of  
5'-monophosphate metabolites. These nucleotide prodrugs showed much  
improved inhibitory activities of HCV RNA replication.  
IT 565435-06-5P  
RL: BSU (Biological study, unclassified); SPN (Synthetic preparation);  
BIOL (Biological study); PREP (Preparation)  
(synthesis of 9-(2- $\beta$ -C-methyl- $\beta$ -D-ribofuranosyl)-6-  
substituted purine derivs. as inhibitors of HCV RNA replication)  
RN 565435-06-5 CAPLUS  
CN Adenosine, N-[(2-ethoxyphenyl)methyl]-2'-C-methyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

10/540,993




OSC.G 23 THERE ARE 23 CAPLUS RECORDS THAT CITE THIS RECORD (23 CITINGS)  
RE.CNT 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2011 ACS on STN  
AN 2004:566634 CAPLUS  
DN 141:123865  
TI Substitution derivatives of N6-benzyl-adenosine, methods of their  
preparation, their use for preparation of drugs, cosmetic preparations and  
growth regulators, pharmaceutical preparations, cosmetic preparations and  
growth regulators containing these compounds  
IN Dolezal, Karel; Popa, Igor; Zatloukal, Marek; Lenobel, Rene; Hradecka,  
Dana; Vojtesek, Borivoj; Uldrijan, Stjepan; Mlejnek, Petr; Werbrouck,  
Stefaan; Strnad, Miroslav  
PA Ustav Experimentalni Botaniky Akademie Ved Ceske Republiky, Czech Rep.; et  
al.  
SO PCT Int. Appl., 114 pp.  
CODEN: PIXXD2  
DT Patent  
LA English  
FAN.CNT 1

|      | PATENT NO.     | KIND   | DATE     | APPLICATION NO. | DATE     |
|------|----------------|--|----------|-----------------|----------|
| PI   | WO 2004058791  | A2   | 20040715 | WO 2003-CZ78    | 20031229 |
|      | WO 2004058791  | A3   | 20041028 |                 |          |
|      | W:             | AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW |          |                 |          |
|      | RW:            | BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG   |          |                 |          |
|      | CZ 294538      | B6   | 20050112 | CZ 2002-4273    | 20021230 |
|      | AU 2003294608  | A1   | 20040722 | AU 2003-294608  | 20031229 |
|      | EP 1575973     | A2   | 20050921 | EP 2003-785482  | 20031229 |
|      | R:             | AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK   |          |                 |          |
|      | ZA 2005006074  | A  | 20060531 | ZA 2005-6074    | 20050728 |
|      | US 20060166925 | A1   | 20060727 | US 2005-540993  | 20050815 |
| PRAI | CZ 2002-4273   | A  | 20021230 |                 |          |
|      | WO 2003-CZ78   | W  | 20031229 |                 |          |

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT  
OS MARPAT 141:123865  
GI



AB The invention concerns novel substitution derivs. of N6-benzyl-adenosine I, wherein n is 2-6; R1 is H, OH, halogen, alkoxy, amino, hydrazo, mercapto, methylmercapto, carboxyl, cyano, nitro, amido, sulfo, sulfamido, acylamino, acyloxy, alkylamino, dialkylamino, alkylmercapto, carbylalkoxy, cycloalkyl, carbamoyl alkyl; R2 is H, OH, halogen, alkoxy, amino, hydrazo, mercapto, methylmercapto, carboxyl, cyano, nitro, amido, sulfo, sulfamido, acylamino, acyloxy, alkylamino, dialkylamino, alkylmercapto, cabylalkoxy, cycloalkyl, carbamoyl, having anticancer, mitotic, immunosuppressive and anti-senescent properties for plant, animal and human cells. This invention also relates to the methods of preparation of these N6-benzyl-adenosine derivs. and their use as drugs, cosmetic prepn. and growth regulators comprising these derivs. as active compound and use of these derivs. for preparation of pharmaceutical compns., in biotechnol. processes, in cosmetics and in agriculture. Use of title compds. as mitotic or antimitotic compound, especially for treating cancer, psoriasis, rheumatoid arthritis, lupus, type I diabetes, multiple sclerosis, restenosis, polycystic kidney disease, graft rejection, graft vs. host disease and gout, parasitoses such as those caused by fungi or protists, or Alzheimer's disease, or as anti-neurogenerative drugs, or to suppress immunostimulation or for the treatment of proliferative skin diseases. Thus, 2-amino-6-(2-methoxybenzylamino)purine riboside was prepared as growth regulator, and antitumor agent.

IT 420116-42-3P 722505-15-9P 722505-16-0P  
 722505-17-1P 722505-18-2P 722505-19-3P  
 722505-20-6P 722505-21-7P 722505-22-8P  
 722505-23-9P 722505-24-0P 722505-25-1P  
 722505-26-2P 722505-27-3P 722505-28-4P  
 722505-29-5P 722505-30-8P 722506-87-8P

RL: AGR (Agricultural use); BSU (Biological study, unclassified); COS (Cosmetic use); IMF (Industrial manufacture); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)


(preparation of N6-benzyladenosine nucleosides as antitumor, mitotic, immunosuppressive prodrugs, cosmetic agents, and growth regulators)

RN 420116-42-3 CAPLUS

CN Adenosine, N-([1,1'-biphenyl]-4-ylmethyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/540,993



RN 722505-15-9 CAPLUS

CN Adenosine, N-[(4-phenyl)methyl]methyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 722505-16-0 CAPLUS

CN Adenosine, N-[[4-(hexyloxy)phenyl]methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

10/540,993




RN 722505-17-1 CAPLUS  
CN Adenosine, N-[(2-formylphenyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 722505-18-2 CAPLUS  
CN Adenosine, N-[(3-formylphenyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 722505-19-3 CAPLUS  
CN Adenosine, N-[(4-formylphenyl)methyl]- (9CI) (CA INDEX NAME)

McIntosh



10/540,993


Absolute stereochemistry.



RN 722505-20-6 CAPLUS

CN Adenosine, N-[(2-ethoxyphenyl)methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 722505-21-7 CAPLUS

CN Adenosine, N-[(3-ethoxyphenyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 722505-22-8 CAPLUS

McIntosh

10/540,993

CN Adenosine, N-[(4-ethoxyphenyl)methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 722505-23-9 CAPLUS

CN Adenosine, N-[(4-ethylphenyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 722505-24-0 CAPLUS

CN Adenosine, N-[(4-pentylphenyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/540,993



RN 722505-25-1 CAPLUS

CN Adenosine, N-[[4-(pentyloxy)phenyl]methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 722505-26-2 CAPLUS

CN Adenosine, N-[(4-phenoxyphenyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

McIntosh


10/540,993



RN 722505-27-3 CAPLUS

CN Adenosine, N-[(4-propylphenyl)methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 722505-28-4 CAPLUS

CN Adenosine, N-[(4-propoxyphenyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




McIntosh

10/540,993

RN 722505-29-5 CAPLUS

CN Adenosine, N-[(4-octylphenyl)methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 722505-30-8 CAPLUS

CN Adenosine, N-[[4-(octyloxy)phenyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 722506-87-8 CAPLUS

CN Adenosine, N-[(4-butoxyphenyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

McIntosh

10/540,993



OSC.G 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (4 CITINGS)  
RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT


L4 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2011 ACS on STN  
AN 2003:591196 CAPLUS  
DN 139:133790  
TI Preparation of 2'- $\beta$ -modified-6-substituted adenosine analogs and  
their use as antiviral agents  
IN An, Haoyun; Ding, Yili; Shaw, Stephanie; Hong, Zhi  
PA Ribapharm Inc., USA  
SO PCT Int. Appl., 45 pp.  
CODEN: PIXXD2  
DT Patent  
LA English  
FAN.CNT 4

|      | PATENT NO.      | KIND   | DATE     | APPLICATION NO. | DATE     |
|------|-----------------|--|----------|-----------------|----------|
| PI   | WO 2003062256   | A1   | 20030731 | WO 2002-US34026 | 20021023 |
|      | W:              | AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW |          |                 |          |
|      | RW:             | GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG   |          |                 |          |
|      | US 20060183706  | A1   | 20060817 | US 2005-530627  | 20050407 |
|      | US 7217815      | B2   | 20070515 |                 |          |
| PRAI | US 2002-350296P | P  | 20020117 |                 |          |
|      | WO 2002-US34026 | W  | 20021023 |                 |          |

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

OS MARPAT 139:133790

GI



McIntosh


AB Various 2'-beta-methyl-6-substituted adenosine analogs I in which Z is selected from the group consisting of an alkyl, an O-alkyl, an alkenyl, an alkynyl, and CN, wherein the alkyl, the alkenyl, or the alkynyl is optionally substituted with a halogen or OH; A is CH or N, and E is C-R6 or N, such that (1) when A is CH then E is C-R6 or N, and (2) when A is N then E is CH; X is NR1R2, NR2NR3R4, NR2N=NR3, NR2N=CHR3, NR2N=O, NR2C(=O)NR3R4, NR2C(=S)NR3R4, NR2C(=NH)NR3R4, NR1C(=O)NR2NR3R4, NR2OR3, ONHC(O)O-alkyl, ONHC(O)O-aryl, ONR3R4, SNR1R2, SONR1R2, or S(O)2NR1R2; wherein R1-R4 are independently H, alkyl, substituted alkyl, O-alkyl, cyclic alkyl, heterocyclic alkyl, alkoxy, alkaryl, aryl, heterocyclic aryl, substituted aryl, acyl, substituted acyl, S(O)2-alkyl, NO, NH2, or OH; and R6 is H, NH2, halogen, N3, NHR1, NHCOR1 NR1R2, NHSO2R1, NHCONHR1, NHCSNHR1, CH2NHR1, CHR1NHR2, NNNH2, CN, alkyl, alkenyl, alkynyl, CH2-aryl, CH2-heterocycle, halogen, OH, or SH; are prepared by conventional and combinatorial library approaches. Contemplated compds. are particularly useful as therapeutic agents, and especially as antiviral agents. Thus, N6-[3-(methylthio)phenyl]-9H-(2'-beta-C-methyl-beta-ribofuranosyl)adenine was prepared and tested in vitro as antiviral agent against influenza virus A, bovine viral diarrhea virus, Hepatitis B virus, HIV-1 virus and human Rhinovirus.

IT 565435-06-5P  
 RL: CPN (Combinatorial preparation); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); CMBI (Combinatorial study); PREP (Preparation); USES (Uses)  
 (preparation of 2'-beta-modified-6-substituted adenosine analogs and their use as antiviral agents)

RN 565435-06-5 CAPLUS

CN Adenosine, N-[(2-ethoxyphenyl)methyl]-2'-C-methyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



OSC.G 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)  
 RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2011 ACS on STN  
 AN 2002:89069 CAPLUS  
 DN 136:355407  
 TI Anti-Malarial activity of N6-Substituted adenosine derivatives. Part I  
 AU Golisade, Abolfasl; Wiesner, Jochen; Herforth, Claudia; Jomaa, Hassan; Link, Andreas  
 CS Institut fur Pharmazie, Universitat Hamburg, Hamburg, D-20146, Germany  
 SO Bioorganic & Medicinal Chemistry (2002), 10(3), 769-777  
 CODEN: BMECEP; ISSN: 0968-0896  
 PB Elsevier Science Ltd.  
 DT Journal  
 LA English  
 OS CASREACT 136:355407  
 AB The synthesis and biol. evaluation of novel N6-substituted adenosine derivs. is reported. The first series of compds. was obtained using an established procedure for the nucleophilic substitution of a 1-(6-chloro-purin-9-yl)-beta-D-1-deoxy-ribofuranose with various amines. In addition, attachment of two different amino-functionalized spacer arms at

10/540,993

the N6-position of adenosine enabled derivatization by an innovative polymer-assisted protocol. Thus, we were able to prepare three series of substituted derivs. that displayed activity vs. the multiresistant Plasmodium falciparum strain Dd2 in cell culture expts.


IT 420116-42-3P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)  
(preparation of and antimalarial structure activity relationship of N6-Substituted adenosine derivs.)

RN 420116-42-3 CAPLUS

CN Adenosine, N-([1,1'-biphenyl]-4-ylmethyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



OSC.G 22 THERE ARE 22 CAPLUS RECORDS THAT CITE THIS RECORD (22 CITINGS)  
RE.CNT 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2011 ACS on STN

AN 1996:337912 CAPLUS

DN 125:11378

OREF 125:2497a,2500a

TI Preparation of adenosine derivatives for treating cardiovascular, respiratory, central nervous system, and immune diseases

IN Mitsuya, Morihiro; Takeshita, Hiroshi; Ihara, Masaki

PA Banyu Pharmaceutical Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 12 pp.

CODEN: JKXXAF

DT Patent


LA Japanese

FAN.CNT 1

|      | PATENT NO.       | KIND | DATE     | APPLICATION NO. | DATE     |
|------|------------------|------|----------|-----------------|----------|
|      | -----            | ---- | -----    | -----           | -----    |
| PI   | JP 08053491      | A    | 19960227 | JP 1995-98038   | 19950330 |
| PRAI | JP 1995-98038    | A    | 19950330 |                 |          |
|      | JP 1994-87958    | A    | 19940401 |                 |          |
|      | JP 1994-147104   |      | 19940606 |                 |          |
| OS   | MARPAT 125:11378 |      |          |                 |          |
| GI   |                  |      |          |                 |          |



10/540,993




AB The title compds. (I; Ar = Ph, heterocyclyl; Q = lower alkylene; R1 = HOCH2, H2NCO, lower alkylcarbamoyl; R2 = H, HO, NH2, lower alkoxy), which are particularly useful as antihypertensives without side effects such as changing number of heart beats (no data), are prepared Thus, 90 mg 6-amino-3-biphenylmethylamine dihydrochloride was dissolved in 10 mL EtOH, treated with 0.30 mL Et3N and 82 mg 6-chloro-9-β-D-ribofuranosyl-9H-purine, and refluxed for 8.5 h to give 67% N6-(6-amino-3-biphenylmethyl)adenosine.

IT 177270-12-1P 177270-16-5P 177270-17-6P  
177270-19-8P  
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(preparation of adenosine derivs. for treating cardiovascular, respiratory, central nervous system, and immune diseases)

RN 177270-12-1 CAPLUS

CN Adenosine, N-[(4-amino[1,1'-biphenyl]-3-yl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 177270-16-5 CAPLUS

CN Adenosine, N-[(4-amino-4'-fluoro[1,1'-biphenyl]-3-yl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


McIntosh

10/540,993




RN 177270-17-6 CAPLUS  
CN Adenosine, N-[[2-amino-5-(1,3-benzodioxol-5-yl)phenyl]methyl]- (9CI) (CA  
INDEX NAME)

Absolute stereochemistry.



RN 177270-19-8 CAPLUS  
CN Adenosine, N-([1,1'-biphenyl]-3-ylmethyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



OSC.G 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)